


**U<sup>®</sup> A** **UNITED**  
**ABRASIVES**  
**SAIT<sup>®</sup>**



# Portable Saw Wheels



**AMERICAN MADE**



**INDUSTRIAL GRADE**



## GENERAL PURPOSE A24R

- Special aluminum oxide grain
- Provides consistent performance with long life

**METAL** Ferrous metals (steel, angle iron, rebar)



## EXTREMELY FAST CUT XFC™

- Special aluminum oxide grain formula
- Fast cutting action
- Non-binding cutting formula

**METAL** Ferrous metals

**STAINLESS** Stainless steel, high tensile alloys



## ECONOMICAL SAIT PRO

- Aluminum oxide grain
- Best value for a fast cut

**METAL** Ferrous metals



## SHARP METALS BRUTE™

- Long life
- Extremely hard bond for cutting metals that present a very sharp edge to the wheel

**METAL** Thin metal, sheet metal, decking, other ferrous metals



## HEAVY METALS & RAIL HOB0®

- For use on high horsepower machines
- Rugged fiberglass reinforcement for maximum safety
- Excellent for the railroad industry

**METAL** Mainline, secondary, spur rail steel; Heavy sections of ferrous metals (I-beams, bar stock, etc.)



## SPECIALTY DUCTILE™

- Combination aluminum oxide and silicon carbide formulation
- Use the Ductile™ wheel for extra hard metals, hydraulic hose and PVC pipe

**METAL** Ductile pipe (very hard steel casing enclosing a cement lining), water mains, etc.

**CONCRETE** Combination metal/concrete, cast iron, hard metals, concrete coated steel, etc.



## GENERAL PURPOSE - CONCRETE C24R

- Silicon carbide grain
- Long life

**CONCRETE** Stone, brick, soft aggregate, masonry, concrete, schedule 40 and schedule 80 PVC pipe



## MASONRY, ASPHALT, CONCRETE BIG M.A.C.™

- Special silicon carbide grain
- Superior cutting action
- 40% longer life than general purpose concrete wheels

**CONCRETE** Masonry, asphalt, concrete

## 9" PORTABLE SAW BLADES



## GENERAL PURPOSE A60S

- Special aluminum oxide grain
- Extremely fast burr-free cutting with long life
- Exceptional performance

**METAL** Ferrous and/or non-ferrous metals (iron, steel, stud, rebar, etc.)



## PREMIUM PERFORMANCE THE ULTIMATE CERAMIC CUT-OFF™

- Premium ceramic aluminum oxide grain
- Exceptionally long-lasting design that maximizes productivity for fewer wheel changes

**METAL** Ferrous and/or non-ferrous metals (iron, steel, stud, rebar, etc.)

**STAINLESS** Stainless steel, high tensile alloys

# Portable Saw Wheels

## PART NUMBERS

| DIA | THICK | ARBOR | MAX RPM | QTY | A24R  | SAIT PRO METAL | BRUTE™ | A60S  | ULTIMATE CERAMIC™ |
|-----|-------|-------|---------|-----|-------|----------------|--------|-------|-------------------|
| 9"  | 5/64" | 7/8"  | 6,600   | 10  | -     | -              | -      | 23405 | 20229             |
| 12" | 1/8"  | 20MM  | 6,300   | 10  | 23420 | 23421          | 23422  | -     | -                 |
| 12" | 1/8"  | 1"    | 6,300   | 10  | 23410 | 23414          | 23412  | -     | -                 |
| 14" | 1/8"  | 20MM  | 5,460   | 10  | -     | 24140          | -      | -     | -                 |
| 14" | 1/8"  | 1"    | 5,400   | 10  | -     | 24135          | -      | -     | -                 |

| DIA | THICK | ARBOR | MAX RPM | QTY | DUCTILE™ | C24R  | BIG M.A.C.™ |
|-----|-------|-------|---------|-----|----------|-------|-------------|
| 12" | 1/8"  | 20MM  | 6,300   | 10  | 23425    | 23423 | 23462       |
| 12" | 1/8"  | 1"    | 6,300   | 10  | 23415    | 23413 | 23460       |

## HEAVY DUTY


Designed with greater amounts of reinforcement for use on high-speed gas powered saws

| DIA | THICK | ARBOR | MAX RPM | QTY | A24R  | XFC™  | BRUTE™ | HOBO® |
|-----|-------|-------|---------|-----|-------|-------|--------|-------|
| 14" | 1/8"  | 20MM  | 5,460   | 10  | 23455 | 24160 | 23457  | -     |
| 14" | 1/8"  | 1"    | 5,400   | 10  | 23450 | 24150 | 23452  | 23501 |
| 16" | 1/8"  | 1"    | 4,800   | 10  | 23459 | -     | -      | 23502 |

| DIA | THICK | ARBOR | MAX RPM | QTY | DUCTILE™ | C24R  | BIG M.A.C.™ |
|-----|-------|-------|---------|-----|----------|-------|-------------|
| 14" | 1/8"  | 20MM  | 5,460   | 10  | 23458    | 23456 | 23464       |
| 14" | 1/8"  | 1"    | 5,400   | 10  | 23453    | 23451 | 23463       |
| 16" | 1/8"  | 1"    | 4,800   | 10  | 23480    | 23461 | -           |

### TECH INFO

- Type 1 / Type 41 shape is ideal for square, burr-free cutting
- Available in multiple arbor sizes to fit a wide variety of tools
- 9" portable saw blades are ideal for battery powered saws



Type 1 / Type 41



Portable Saw